

PreventionFIRST! Student Survey 2019-20 Year to Year Report

2019-20 Warren County
Warren, OH
February 2020



PRIDE
Surveys



Contents

1	Introduction	1
2	Past 30 Day and Annual Frequency of Use Across Survey Cycles	2
3	Perceived Harm to Health Across Survey Cycles	34
4	Perceived Availability Across Survey Cycles	54

1 Introduction

This report is a culmination of longitudinal data for select variables that can help you visualize change and identify trends.

In 2017, Pride Surveys in consultation with PreventionFIRST! made changes to the dubious and discrepancy checks (honesty checks) for the data set. You may notice some significant changes in student data starting with the 2017 cycle. Note that longitudinal data may not be reflective of actual changes over time. The changes were made to improve the quality and accuracy of the data by excluding a greater number of dishonest surveys than in previous cycles.

If you would like more information about what the checks are and how the dishonest threshold is calculated please email info@pridesurveys.com.

All data included in this report are percentages. Small numbers of students in a data set can potentially show more extreme fluctuations in the data from year to year. For information surrounding the number of students who answered each question by grade please refer to the frequency distribution tables in your full report.

2 Past 30 Day and Annual Frequency of Use Across Survey Cycles


The following charts illustrate 30-day and annual substance use. For each substance included on the survey there is a chart reporting Annual Use (i.e. any use within the past year). For cigarettes, alcohol, marijuana, prescription drugs, electronic vaping products, or other illicit drugs, there is a chart for use within the past 30 days.

* Any Alcohol for *Annual Use* is a calculated variable which includes the substance questions 'beer', 'coolers, hard lemonade, etc.' and 'liquor (whiskey, vodka, rum, etc.)'.

* Any Tobacco for *Annual Use* is a calculated variable which includes the substance questions 'cigarettes', 'smokeless tobacco (chew, etc.)' and 'cigars'.


* Any Illicit Drug for *Annual Use* is a calculated variable which includes all substances except any alcohol, any tobacco and vapor products.

Past 30 Day Use of Alcohol




Source: Pride Survey

Past 30 Day Use of Cigarettes




Source: Pride Survey

Past 30 Day Use of Marijuana




Source: Pride Survey

Past 30 Day Use of Prescription Drugs Not Prescribed to You




Source: Pride Survey

Past 30 Day Use of Electronic Vapor Products




Source: Pride Survey

Past 30 Day Use of Other Illicit Drugs




Source: Pride Survey

Annual Use of Cigarettes




Source: Pride Survey

Annual Use of Smokeless Tobacco




Source: Pride Survey

Annual Use of Cigars




Source: Pride Survey

Annual Use of Electronic Vapor Products




Source: Pride Survey

Annual Use of Beer




Source: Pride Survey

Annual Use of Wine Coolers




Source: Pride Survey

Annual Use of Liquor




Source: Pride Survey

Annual Use of Marijuana




Source: Pride Survey

Annual Use of Synthetic Marijuana




Source: Pride Survey

Annual Use of Chemical Products to Get High (bath salts)




Source: Pride Survey

Annual Use of Pain Medication Not Prescribed to You




Source: Pride Survey

Annual Use of Stimulants Not Prescribed to You




Source: Pride Survey

Annual Use of Sleeping Medication Not Prescribed to You




Source: Pride Survey

Annual Use of Sedatives Not Prescribed to You




Source: Pride Survey

Annual Use of Over-the-Counter Drugs to Get High




Source: Pride Survey

Annual Use of Heroin




Source: Pride Survey

Annual Use of Cocaine




Source: Pride Survey

Annual Use of Inhalants




Source: Pride Survey

Annual Use of Hallucinogens




Source: Pride Survey

Annual Use of Steroids




Source: Pride Survey

Annual Use of Ecstasy




Source: Pride Survey

Annual Use of Meth




Source: Pride Survey

Annual Use of Any Tobacco*




Source: Pride Survey

Annual Use of Any Alcohol*



Source: Pride Survey

Annual Use of Any Illicit Drug*



Source: Pride Survey

3 Perceived Harm to Health Across Survey Cycles


The second set of graphs present data on the perceived harm of drugs. Each graph presents the percent of students who report a particular drug as being *Harmful* or *Very Harmful* to use.

* Bath Salts in this section is calculated from the substance question 'Using chemical products to get high (bath salts)'.

* Prescription Drugs in this section is calculated from the substance question 'Using prescription drugs not prescribed to you'.


* Over-The-Counter Drugs in this section is calculated from the substance question 'Using over-the-counter drugs to get high'.

Perceived Harm to Health of Smoking Cigarettes




Source: Pride Survey

Perceived Harm to Health of Using Smokeless Tobacco




Source: Pride Survey

Perceived Harm to Health of Smoking Cigars




Source: Pride Survey

Perceived Harm to Health of Using Electronic Vapor Products




Source: Pride Survey

Perceived Harm to Health of Drinking Beer




Source: Pride Survey

Perceived Harm to Health of Drinking Coolers, Hard Lemonade, Etc.




Source: Pride Survey

Perceived Harm to Health of Drinking Liquor




Source: Pride Survey

Perceived Harm to Health of Smoking Marijuana




Source: Pride Survey

Perceived Harm to Health of Using Synthetic Marijuana




Source: Pride Survey

Perceived Harm to Health of Using Bath Salts*




Source: Pride Survey

Perceived Harm to Health of Using Prescription Drugs*




Source: Pride Survey

Perceived Harm to Health of Using Over-the-Counter Drugs*




Source: Pride Survey

Perceived Harm to Health of Using Heroin




Source: Pride Survey

Perceived Harm to Health of Using Cocaine




Source: Pride Survey

Perceived Harm to Health of Using Inhalants




Source: Pride Survey

Perceived Harm to Health of Using Hallucinogens




Source: Pride Survey

Perceived Harm to Health of Using Steroids




Source: Pride Survey

Perceived Harm to Health of Using Ecstasy



Source: Pride Survey

Perceived Harm to Health of Using Meth



Source: Pride Survey


4 Perceived Availability Across Survey Cycles

In this section we examine changes in availability (perceived or actual) of tobacco products, vapor products, alcohol, marijuana, prescription drugs, and other illicit drugs across survey cycles. Each graph represents the percent of students who responded *Fairly Easy* or *Very Easy*.

*Tobacco in this section is calculated from the substance question 'Cigarettes, smokeless tobacco, cigars, etc.'


*Alcohol in this section is calculated from the substance question 'Beer, wine, liquor and other alcohol products'.

Perceived Availability of Tobacco*




Source: Pride Survey

Perceived Availability of Electronic Vapor Products




Source: Pride Survey

Perceived Availability of Alcohol*




Source: Pride Survey

Perceived Availability of Marijuana




Source: Pride Survey

Perceived Availability of Prescription Drugs Not Prescribed to You



Source: Pride Survey

Perceived Availability of Other Illicit Drugs



Source: Pride Survey